

FEDERAL COMMUNICATIONS COMMISSION  
445 TWELFTH STREET, SW  
WASHINGTON, DC 20554

MEDIA BUREAU  
AUDIO DIVISION  
APPLICATION STATUS: (202) 418-2730  
HOME PAGE: [www.fcc.gov/mb/audio/](http://www.fcc.gov/mb/audio/)

MAR 14 2014

ENGINEER: Frank Takacs  
TELEPHONE: (202) 418-2700  
FACSIMILE: (202) 418-1410/1411  
MAIL STOP: 1800B3  
INTERNET ADDRESS: [Frank.Takacs@fcc.gov](mailto:Frank.Takacs@fcc.gov)

Slavic Community Center of NW, Inc  
17229 SE Division Street S-29  
Portland, OR 97236

Re: NEW-LP, Portland, OR  
Facility ID No. 196785  
Slavic Community Center of NW, Inc  
File No. BNPL-20131114BHV


Dear Applicant:

The staff has under consideration the above-captioned application for a new low power FM (LPFM) station.

An engineering study has revealed that the proposal fails to meet the minimum power and antenna height requirements of 47 C.F.R. § 73.811. Specifically, the application proposes an effective radiated power (ERP) of 9 watts in an attempt to submit a successful second-adjacent waiver. However, we calculate the height above average terrain (HAAT) at this site to be 34 meters. Therefore, the proposed facility would create an average 60 dBu contour distance of approximately 3.3 km. Pursuant to Section 73.811, the minimum required 60 dBu contour distance is 4.7 kilometers. The application does not address this deficiency and will be dismissed.

Accordingly, in light of the above, application BNPL-20131114BHV is unacceptable for filing pursuant to 47 C.F.R. § 73.3566(a)<sup>1</sup> and IS HEREBY DISMISSED. This action is taken pursuant to 47 C.F.R. § 0.283

Sincerely,



James D. Bradshaw  
Deputy Chief  
Audio Division  
Media Bureau

cc: Keith Leitch

---

<sup>1</sup> Under the Public Notice entitled "Commission States Future Policy on Incomplete and Patently Defective AM and FM Construction Permit Applications," FCC 84-366, released August 2, 1984, the Commission indicated that it would reinstate applications *nunc pro tunc* where the original application was dismissed and where a minor curative amendment was filed within thirty days. Please note that any amendment submitted for this purpose must be received within 30 days of the Public Notice of the dismissal of the application and must correct ALL acceptance defects with the application. This includes any defects that may not have been identified in the dismissal letter.