COPY 332NENGR

Federal Communications Commission
Washington, D. C. 20554

Approved by OMB
3060-0506
Expires 01/31/97

FOR FCC USE ONLY

RECEIVED MAR 3 1997 FCC

FCC 302-FM

APPLICATION FOR FM BROADCAST STATION LICENSE

(Please read instructions before completing this form.)

FOR MASS MEDIA BUREAU USE ONLY
FILE NO. BLH-970403GQ

Section I - GENERAL INFORMATION

1. APPLICANT NAME
Amaturo Group of L.A., Ltd.

MAILING ADDRESS (Line 1) (Maximum 35 characters)
3101 North Federal Highway

MAILING ADDRESS (Line 2) (Maximum 35 characters)
Suite 601

CITY	STATE OR COUNTRY (if foreign address)	ZIP CODE
Fort Lauderdale	Florida	33306

TELEPHONE NUMBER (include area code)	CALL LETTERS	OTHER FCC IDENTIFIER (IF APPLICABLE)
(954) 565-1411	KLIT (FM)	

FOR MAILING THIS APPLICATION, SEE INSTRUCTIONS FOR SECTION I

2. A. Is a fee submitted with this application? ☐ Yes ☒ No

B. If No, select the appropriate box to indicate reason for fee exemption (see 47 C.F.R. Section 1.1112) or reason a fee is not applicable and go to Question 3.

☐ Governmental Entity ☐ Noncommercial educational licensee ☐ Other (Please explain): Not required

C. If Yes, provide the following information:

Enter in Column (A) the correct Fee Type Code for the service you are applying for. Fee Type Codes may be found in the "Mass Media Services Fee Filing Guide." Column (B) lists the Fee Multiple applicable for this application. Enter in Column (C) the result obtained from multiplying the value of the Fee Type Code in Column (A) by the number listed in Column (B).

	(A) FEE TYPE CODE	(B) FEE MULTIPLE (if required)	(C) FEE DUE FOR FEE TYPE CODE IN COLUMN (A)	FOR FCC USE ONLY
(1)		0001	$	

To be used only when you are requesting concurrent actions which result in a requirement to list more than one Fee Type Code.

	(A)	(B)	(C)	FOR FCC USE ONLY
(2)		0001	$	

ADD ALL AMOUNTS SHOWN IN COLUMN C, LINES (1) THROUGH (3), AND ENTER THE TOTAL HERE. THIS AMOUNT SHOULD EQUAL YOUR ENCLOSED REMITTANCE.	TOTAL AMOUNT REMITTED WITH THIS APPLICATION	FOR FCC USE ONLY
	$	

3. Has an adverse finding been made or an adverse final action been taken by any court or administrative body with respect to the applicant or parties to the application in a civil or criminal proceeding, brought under the provisions of any law relating to the following: any felony; mass media related antitrust or unfair competition; fradulent statements to another governmental unit; or discrimination.

[X] Yes [ ] No

If the answer is Yes, attach as an Exhibit a full disclosure concerning the persons and matters involved, including an identification of the court or administrative body and the proceeding (by dates and file numbers), and the disposition of the litigation. Where the requisite information has been earlier disclosed in connection with another application or as required by 47 U.S.C. Section 1.65(c), the applicant need only provide: (i) an identification of that previous submission by reference to the file number in the case of an application, the call letters of the station regarding the application or Section 1.65 information was filed, and the date of filing; and (ii) the disposition of the previously reported matter.

Exhibit No. I

4. For permittees of commercial FM stations only:

Has permittee filed its Ownership Report (FCC Form 323) or ownership certification in accordance with 47 C.F.R. Section 73.3615(b). See Instructions.

[X] Yes [ ] No [ ] Does Not Apply

The APPLICANT hereby waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. (See 47 U.S.C. Section 304.)

The APPLICANT acknowledges that all the statements made in this application and attached exhibits are considered material representations and that all the exhibits are a material part hereof and are incorporated herein as set out in full in the application.

CERTIFICATIONS

5. By checking Yes, the applicant certifies that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. 862, or, in the case of a non-individual applicant (e.g., corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits that includes FCC benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. Section 1.2002(b).

[X] Yes [ ] No

6. I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith.

Name of Applicant Amaturo Group of L.A., Ltd.	Signature
Title General Partner	Date April 2, 1997

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

FCC NOTICE TO INDIVIDUALS REQUIRED BY THE PRIVACY ACT

The solicitation of personal information requested in this application is authorized by the Communications Act of 1934, as amended. The Commission will use the information provided in this form to determine whether grant of this application is in the public interest. In reaching that determination, or for law enforcement purposes, it may be necessary to refer personal information contained in this form to another government agency. In addition, all information provided in this form will be available for public inspection. If information requested on the form is not provided, processing of the application may be delayed or the application may be returned without action pursuant to the Commission's Rules. Your response is required to obtain the requestd authority.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. SECTION 552a(e)(3).

SECTION II - TECHNICAL DATA

1. This license application is for a: (check all that apply)

- [ ] Request for program test authority.
- [x] Station on automatic program test authority. *
- [ ] Commercial station.
- [ ] Noncommercial station.
- [ ] Directional antenna.
- [ ] Non-directional antenna.
- [ ] License to cover construction permit for an auxiliary facility.
- [ ] License to utilize former licensed main facility as an auxiliary facility.

*See attachment.

SPECIAL OPERATING CONDITIONS MAY PROHIBIT AUTOMATIC PROGRAM TEST AUTHORITY.

2. Call Sign: KLIT

3. Frequency or channel: 224 Class: A

4. Community of License: City: Avalon State: CA

5. Select ONE that applies and enter the file number(s) on the appropriate line(s). This application:

(a) [x] covers a construction permit. Original file number: BPH-962025IC

as modified by: _____

as extended by: _____

as replaced by: _____

(b) [ ] modifies a license, file number: _____

6. Is this application being filed pursuant to MM Docket No. 88-375 (Class A Upgrade)? See Instructions. [ ] Yes [x] No

If Yes, attach the supplemental Exhibit to this application. Exhibit No. N/A

IF YOU SELECTED 5(b), "MODIFIES A LICENSE," PROCEED TO ITEM 8.

7. Expiration date of construction permit: Month: June Day: 2 Year: 1998

THIS APPLICATION MUST BE ON FILE WITH THE COMMISSION BEFORE THE EXPIRATION DATE OF YOUR CONSTRUCTION PERMIT. SEE INSTRUCTIONS.

SECTION II - TECHNICAL DATA

1. This license application is for a: (check all that apply)

- [ ] Request for program test authority.
- [x] Station on automatic program test authority. *
- [ ] Commercial station.
- [ ] Noncommercial station.
- [ ] Directional antenna.
- [ ] Non-directional antenna.
- [ ] License to cover construction permit for an auxiliary facility.
- [ ] License to utilize former licensed main facility as an auxiliary facility.

*See attachment.

SPECIAL OPERATING CONDITIONS MAY PROHIBIT AUTOMATIC PROGRAM TEST AUTHORITY.

2. Call Sign: KLIT

3. Frequency or channel: 224 Class: A

4. Community of License:

City	State
Avalon	CA

5. Select ONE that applies and enter the file number(s) on the appropriate line(s). This application:

(a) [x] covers a construction permit. Original file number: BPH-960205IC

as modified by: _____

as extended by: _____

as replaced by: _____

(b) [ ] modifies a license, file number: _____

6. Is this application being filed pursuant to MM Docket No. 88-375 (Class A Upgrade)? See Instructions. [ ] Yes [x] No

If Yes, attach the supplemental Exhibit to this application.

Exhibit No. N/A

IF YOU SELECTED 5(b), "MODIFIES A LICENSE," PROCEED TO ITEM 8.

7. Expiration date of construction permit:

Month	Day	Year
June	2	1998

THIS APPLICATION MUST BE ON FILE WITH THE COMMISSION BEFORE THE EXPIRATION DATE OF YOUR CONSTRUCTION PERMIT. SEE INSTRUCTIONS.

SECTION II - TECHNICAL DATA (Page 2)

8. Description of facilities authorized by the construction permit or license noted in item 5(a) or 5(b):

(a) Antenna coordinates: 33° 20' 23" N. Lat. 118° 19' 09" W. Lon.

	Horizontal	Vertical
(b) Effective radiated power:	6.0 kW	6.0 kW
(c) Beam tilt effective radiated power (if applicable):	N/A kW	N/A kW
(d) Radiation center above ground:	12 meters	12 meters
(e) Radiation center above mean sea level:	172 meters	172 meters
(f) Antenna height above average terrain:	45 meters	45 meters
(g) Overall tower height above ground (including antenna, all other appurtenances, and lighting, if any):	18 meters	

9. Description of facilities as constructed:

(a) Antenna coordinates: 33° 20' 23" N. Lat. 118° 19' 09" W. Lon.

	Horizontal	Vertical
(b) Effective radiated power:	6.0 kW	6.0 kW
(c) Beam tilt effective radiated power (if applicable):	N/A kW	N/A kW
(d) Radiation center above ground:	12 meters	12 meters
(e) Radiation center above mean sea level:	172 meters	172 meters
(f) Antenna height above average terrain:	45 meters	45 meters
(g) Overall tower height above ground (including antenna, all other appurtenances, and lighting, if any):	18 meters	

10. Are there any differences between the facilities described in Item 8 and those in Item 9? ☐ Yes ☒ No

IF YES, YOU MAY NOT BE ABLE TO USE THIS FORM. SEE INSTRUCTIONS.

Attach an Exhibit explaining in detail how these differences occurred. Exhibit No. N/A

11. SPECIAL OPERATING CONDITIONS. Attach an Exhibit that demonstrates compliance with the special operating conditions, terms, and obligations described in the construction permit. See Instructions. Exhibit No. Tech

☐ Does Not Apply

CONVERSION TO AND FROM METRIC:

METERS = 0.3048 X FEET FEET = 3.281 X METERS

SECTION II - TECHNICAL DATA (Page 3)

12. Antenna description:

Make	Model Number	Number of Sections	Power Gain
ERI	G5CPM-4E-DA-HW	4	2.08

If the antenna utilizes beam tilt, null fill, reduced spacing (less than one wavelength) between bays or the antenna is directional or specialized, an exhibit must be attached. SEE INSTRUCTIONS.

Exhibit No. Tech

13. Transmission line system description:

(a) Transmission Line(s):

Make	Model Number	Length in Meters	Efficiency
Cablewave	HCC 158-50J	132 meters	83.7 %
		meters	%

82.0

IF MORE SPACE IS NEEDED, PLEASE ATTACH EXHIBIT.

Exhibit No. N/A

(b) Additional losses (Filters, Isocouplers, Multiplexers, etc.) in transmission line system:

Description	Loss in dB	Efficiency
Connectors and through-line section	-0.03 dB	99.3 %
	dB	%

IF MORE SPACE IS NEEDED, PLEASE ATTACH EXHIBIT.

Exhibit No. N/A

(c) Total Efficiency of transmission line system: 83.1 %

14. Transmitter power output (in kilowatts): 3.49 kW

SEE INSTRUCTIONS TO CALCULATE TPO.

15. Operating constants:

(a) D.C. plate current in last radio stage (amperes): 1.025 A

(b) Applied D.C. voltate in last radio stage (volts): 4600 V

(c) Efficiency of transmitter at operating power (percent): 74 %

(d) RF transmission line meter reading (percent): 100 %

SEE INSTRUCTIONS TO CHECK OPERATING CONSTANTS.

16. Is the main studio located within the city of license or the predicted 3.16 mV/m (70 dBu) field strength contour of the main facility? ☒ Yes ☐ No

If NO, attach an Exhibit pursuant to the Instructions.

Exhibit No. N/A

17. Location of Main Studio: (P.O. BOXES ARE UNACCEPTABLE)

Street Address or Location Description		
220 Metropole		
City: Avalon	County: Los Angeles	State: CA

CONVERSION TO AND FROM METRIC:

METERS = 0.3048 X FEET FEET = 3.281 X METERS

SECTION II - TECHNICAL DATA (Page 4)

18. Location(s) of Remote Control Point(s):

(a)

Street Address or Location Description		
220 Metropole		
City: Avalon	County: Los Angeles	State: CA

(b)

Street Address or Location Description		
99 Long Court, Suite 200		
City: Thousand Oaks	County: Ventura	State: CA

If there are additional remote control points, attach an Exhibit which describes their locations.

Exhibit No. N/A

19. Location of Antenna Site:

Street Address or Location Description		
CATV Tower approx. 120 meters NW of ORD2 Benchmark and 260 meters SE of Avalon Town Quay		
City: Avalon	County: Los Angeles	State: CA

20. CERTIFICATION OF PREPARER

I certify that I represent the applicant in the capacity indicated below and that I have examined the foregoing statement of technical information and that it is true to the best of my knowledge and belief.

Name (please print or type)	Signature (check appropriate box below)
David E. Dickmann	David E. Dickmann
Address (include ZIP Code) du Treil, Lundin & Rackley, Inc. 240 N. Washington Boulevard, Suite 700 Sarasota, FL 34236	Date: March 28, 1997 Telephone No. (include Area Code): (941) 366-2611

- [ ] Technical Director
- [ ] Chief Operator
- [ ] Other (specify)
- [ ] Registered Professional Engineer
- [x] Technical Consultant

FCC NOTICE TO INDIVIDUALS REQUIRED BY THE PAPERWORK REDUCTION ACT

Public reporting burden for this collection of information is estimated to average 4 hours per response. This estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, can be sent to the Federal Communications Commission, Records Management Branch, AMD-IM, Paperwork Reduction Project (3060-0506), Washington, D. C. 20554.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

TECHNICAL EXHIBIT
APPLICATION FOR LICENSE
AMATURO GROUP OF L.A., LTD.
RADIO STATION KLIT
AVALON, CALIFORNIA

Technical Statement

This statement has been prepared on behalf of Amaturo Group of L.A., Ltd. (herein "Amaturo"), licensee of FM station KLIT, channel 224A, Avalon, California. The statement supports an application for license to cover an increase in operating power authorized in construction permit BPH-960205IC.

Amaturo's construction permit specifies several special operating conditions which were to be met prior to commencing program test operation at the higher power. Special operating conditions 3, 4, 5 and 6 have already been met as no changes in the licensed directional antenna were proposed or authorized by the construction permit. The only change in the directional antenna radiation is due to an increase in the antenna input power. The following paragraphs address special operating condition number 8.

Amaturo verifies that the transmitter site location is remote and not accessible to the general public. Furthermore, Amaturo verifies that appropriate signs will be posted around the site that describe the potential hazard should unauthorized personnel attempt to access the site. Should authorized personnel be required to access the

transmitter site, Amaturo verifies that appropriate measures will be taken to assure that no exposure to radiofrequency radiation in excess of the FCC guidelines will occur. These measures may include, but are not limited to, a reduction in or shut down of station power, limiting the exposure time or use of protective clothing.

In consultation with Mr. Dale Bickel, Senior Electronics Engineer, Audio Services Division, FCC, it was determined that the RFR measurements would not need to be made prior to the commencement of program tests. Amaturo understands that these measurements will need to be submitted before it is issued a license for the 6 kilowatt operation of KLIT. Attached is Mr. Bickel's correspondence regarding program test authority and the radiofrequency radiation measurements.

David E. Dickmann

David E. Dickmann

du Treil, Lundin & Rackley, Inc.
240 N. Washington Blvd., Ste. 700
Sarasota, Florida 34236
(941) 366-2611

March 28, 1997

David Dickmann

From: Dale Bickel[SMTP:DBICKEL@fcc.gov]
Sent: Thursday, March 27, 1997 12:48 PM
To: David Dickmann
Subject: FW: KLIT(FM), Avalon, CA -Reply

First of all, my sincere apologies for the delay in my response.

Given that there will be no change in the directional pattern and orientation from BLH-931202KG, it is not necessary for KLIT to provide the directional antenna exhibits specified on the construction permit. These have already been provided for the previous license BLH-931202KG. Therefore, the station can commence program test operations at 6.0 kW at such time as it is ready, provided that no changes are made to the directional antenna or its position.

With respect to the RFR radiation, I note that the antenna radiation center is only 12 meters above ground level. However, I see no reason why the RFR measurements required by the construction permit cannot be made while the station is operating on program test authority, provided that the area is already adequately posted with warning signs and/or other measures to prevent the public from venturing too close. We will not grant the license until the RF measurements are submitted to the FCC as an amendment to the license application and reviewed, however.

You may enclose this e-mail with the license application, if you so desire.

Dale Bickel dbickel@fcc.gov
Senior Electronics Engineer
Audio Services Division, FCC

EXHIBIT I

LITIGATION

Joseph C. Amaturo, General Partner of Assignee was a named defendant in an action tried before a jury in the United States District Court, Central District of California, styled "Earl W. Jordan, Jr. vs. The Amaturo Group Ltd., a partnership doing business as KFRG (FM) and KOOJ (FM), and Joseph Amaturo"; Case No. CV 95-6249 LGB, in September, 1996.

The Plaintiff sought damages for wrongful termination of employment and alleged, inter alia, that Mr. Jordan's termination was without just cause and motivated by discrimination based upon race (African American).

The Defendants vigorously defended the action and maintained that the sole reason for Mr. Jordan's termination was performance. Mr. Jordan, the only regional account executive covering Los Angeles, Ca. for the top rated station in the adjacent Riverside/San Bernardino market, was let go by KFRG in January, 1995, after he avoided a meeting with the new general manager for three weeks. When he finally met with the general manager he had no explanation for the fact that his first quarter bookings of orders lagged 67% behind the prior year and no plan to remedy the situation. Mr. Jordan's own witness, sales manager of the station where he was employed immediately following his termination, testified that Mr. Jordan had sought and he had given him a better paying job before he was dismissed from KFRG.

The Jury, apparently believing what Defendants maintain was incredible and untrue testimony from Mr. Jordan, and two former general managers who had been terminated themselves by Amaturo Group, Ltd., found " that plaintiff's race was a motivating factor in defendant's decision to terminate plaintiff's employment."

Following the verdict, Defendants filed for Judgment as a Matter of Law, Remittitur,and in the alternative, a Motion for New Trial based upon multiple grounds. Prior to the Court ruling upon Defendants' motions, the parties settled to the satisfaction of each of them without admission of fault or wrongdoing upon the part of the Defendants. The Settlement Agreement between the parties calls for the filing of a stipulated motion setting aside the verdict.

AUDIO SERVICES
DIVISION
JUL 24 2 13 PM '97

CERTIFICATION

RECEIVED
JUL 24 1997
FCC MAIL ROOM

RE: Amendment to Application for Modification of License
Radio Station KLIT (FM)
Avalon, California

I certify that the Amendment to the above-referenced Application filed herein is true, complete and correct to the best of my knowledge and belief and is made in good faith.

Signed and dated this 23rd day of July, 1997.

AMATURO GROUP OF L.A., LTD.

By: Cara Ebert Cameron
Cara Ebert Cameron
Limited Partner

RADIOFREQUENCY RADIATION MEASUREMENT

REPORT

ON

KLIT, 92.7 MHZ, AVALON, CA

MAY 1997

BY: BEEM COMPANY
ARCADIA, CA
(818) 446-3468

ENGINEERING STATEMENT OF JOEL T. SAXBERG

On May 28, 1997 I made radiofrequency radiation measurements around the KLIT(FM), 92.7 MHz, Class "A" transmitting site which is located on a ridge above the city of Avalon, California. KLIT recently increased Effective Radiated Power from 3.0 kW to 6.0 kW directional. No changes were made to the antenna or transmission system other than increasing the transmitter power output. Measurements were made using a Narda Model 8718 RF Radiation Survey Meter and a Model 8742 "E" field shaped probe. The transmitter site is accessible only through a locked gate and is not open to the general public. The site lies on a ridge which has a fire break road running past the tower. In all directions, except towards the east, the terrain immediately drops from the site elevation. Towards the east the terrain in relatively flat out to about 100 feet then climbs to a higher ridge. Measurements were made toward the east because the directional antenna is oriented easterly and the only access to the upper ridge is along the fire break road. Measurements were made at 10 foot intervals starting at the tower out to 300 feet. A tabulation of those measurements in included in this report.

The highest recorded power density level occurred at a distance of 160 feet where the fire break road rises to the approximate height of the center of radiation. The maximum recorded power density level at this location was 16.27% of the maximum permitted. This value equates to 0.16 mW/cm^2. At no point around the tower did the power density level exceed a reading of 50% which is the value recommended by the manufacturer, which allows for probe and instrument calibration errors.

The power density levels measured indicate clearly that the site meets RFR requirements.

ENGINEERING CERTIFICATION

JOEL T. SAXBERG deposes and says:

1. That he is President of Broadcast Engineering and Equipment Maintenance Company, **"BEEM CO"**, radio engineering consultants. **BEEM CO.** maintains offices at: 2322 S. Second Avenue, Arcadia, CA 91006. Telephone (818) 446-3468

2. That he was graduated from California State University at Los Angeles, February 1966, with a Bachelor of Science degree in Electronic Engineering. He received a MS degree in Electronic Engineering Technology in August 1996.

3. That he has submitted many applications to the Federal Communications Commission for broadcast and auxiliary broadcast construction permits and licenses.

4. That his experience in broadcast engineering is a matter of record and he has spent over thirty years working in the field of radio engineering.

5. That the attached engineering exhibit and reports were prepared by him or under his direction and supervision. That he believes the facts stated therein to be both true and accurate. Statements that are based on information supplied by others are also believed to be true and accurate.

6. That he has performed field work on AM and FM broadcast transmitting systems throughout this country and continues to provide technical consulting services on a daily basis to broadcasters.

7. That he declares under penalty of perjury the foregoing is true and correct.

Executed on 5/29/97

Joel T. Saxberg

TABULATION OF POWER DENSITY MEASUREMENTS

DIST. FROM TOWER FEET	POWER DENSITY % OF 1 MW/CM²
0	3.73
10	3.9
20	5.85
30	3.11
40	2.06
50	3.91
60	1.7
70	0.6
80	0.24
90	0.88
100	2.41
110	4.48
120	7.23
130	8.53
140*	9.28
150*	10.87
160*	16.27
170*	13.44
180*	11.53
190*	11.92
200*	10.85
210*	10.21
220*	9.43
230	7.21
240	4.42
250	4.38
260	3.56
270	2.68
280	1.65
290	1.36
300	0.86

* = GRAPH OF POINT INCLUDED IN THIS REPORT

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98
Frequency:	92.70 MHz	Correction		1.18	Logging		
Averaging	Fixed	Averaging Time:		6 Min			

File - 2805724.SVY Units: % of STD Record #30 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:42	9.28



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

140 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98
Frequency:	92.70 MHz	Correction		1.18	Logging		
Averaging	Fixed	Averaging Time:		6 Min			

File - 2805724.SVY Units: % of STD Record #31 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:42	10.87



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

150 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98

Frequency: 92.70 MHz Correction 1.18 Logging

Averaging Fixed Averaging Time: 6 Min

File - 2805724.SVY Units: % of STD Record #32 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:43	16.27



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

160 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98
Frequency:	92.70 MHz	Correction	1.18	Logging			
Averaging	Fixed	Averaging Time:	6 Min				

File - 2805724.SVY Units: % of STD Record #33 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:43	13.44



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

170 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98

Frequency: 92.70 MHz Correction 1.18 Logging

Averaging Fixed Averaging Time: 6 Min

File - 2805724.SVY Units: % of STD Record #34 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:43	11.53



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

180 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98
Frequency:	92.70 MHz	Correction		1.18	Logging		
Averaging	Fixed	Averaging Time:		6 Min			

File - 2805724.SVY Units: % of STD Record #35 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:43	11.92



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

190 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98

Frequency: 92.70 MHz Correction 1.18 Logging

Averaging Fixed Averaging Time: 6 Min

File - 2805724.SVY Units: % of STD Record #36 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:44	10.85



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

200 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98
Frequency:	92.70 MHz	Correction		1.18	Logging		
Averaging	Fixed	Averaging Time:		6 Min			

File - 2805724.SVY Units: % of STD Record #37 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:46	10.21



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

210 FEET

Model 8718		S/N:	1559	Calibration	04/28/97	Due:	04/28/98
Probe	8742	S/N:	03004	Calibration	04/28/97	Due:	04/28/98
Frequency:	92.70 MHz	Correction	1.18	Logging			
Averaging	Fixed	Averaging Time:	6 Min				

File - 2805724.SVY Units: % of STD Record #38 of 46

DP	Date	Time	Field Strength
1	05/28/97	14:45	9.43



Field Strength vs Data Point

Scroll Forward Scroll Back Increment or Decrement by: 1 Next Record Prev. Record Close

220 FEET